OXYPAS

Professional Footwear

The **collection** for her and him **2017**

Andreas Trechsler
work + fashion

Berufskleidung | Logo-Service
Berufsschuhe | Objekt-Textilien

Steinstraße 83A
35390 Gießen

Fon: 0641 6004-0
Fax: 0641 6004-48

info@at-work-fashion.de
www.at-work-fashion.de

Öffnungszeiten:

Montag - Freitag:
9.00 - 17.30 Uhr

Samstag:
10.00 - 14.00 Uhr

03/2017

Index

Introduction	**p. 2**
Specifications	**p. 4**
Global presence	**p. 5**
Fashion collection	**p. 6**
Lightweight collection	**p. 12**
› Move	p. 14
› Move Up	p. 18
› Medilogic	p. 20
› Motion	p. 22
Sport collection	**p. 24**
› Air	p. 25
› Comfort	p. 26
› Sport	p. 27
Clogs	**p. 28**
› Oxyclog	p. 30
› Oxyva	p. 30
› Sonic	p. 31
› Smooth	p. 31
› Bestlight	p. 31
Safety	**p. 32**
Bio Oxy collection	**p. 34**
Accessories	**p. 36**
Overview collection	**p. 38**

Oxypas, your partner for **safety,comfort and trends**

OXYPAS has years of experience in designing shoes for nursing staffs.

In our daily search for innovation we created a new outsole that meets the highest slip resistant standards to ensure a safer working condition for your employees.

However, we don't just want them to feel safe and comfortable in our shoes, we also want them to really love the shoes. We think this is only possible if we offer nice looking and trendy shoes, right?

That is why we are launching our new slip resistant outsole on two very fashionable new styles (Page 6-11).

Safety or fashion? Oxypas offers you both at the same time.

Have fun discovering our collection!

Team Safety Jogger - Oxypas

Vision

- At Oxypas we believe that every professional deserves the most professional equipment. Therefore, we develop shoes and clogs that meet the highest standards, that are unique as for looks, technicality and comfort and which meet the specific needs of each sector.

Ambition

- We are constantly developing new models, always in accordance with the latest innovations and valid standards in the sector. It is our goal to offer more comfort, style and service day after day and ensure that your needs are always our main focus.

Exceptional service

- You can count on a motivated team of podiatrists, designers, healthcare professionals and customer service staff that completely controls the entire process - from basic design to customized advice. They are every day at your disposal to advise and support you and to answer all your questions. At Oxypas we guarantee a personal service in your own language.

Quality and safety

- Our focus is your safety and comfort. For more than 20 years, Oxypas has been investing in the latest design and manufacturing technologies. Several of our models are registered or patented. Oxypas guarantees an optimal price / quality ratio, because you are entitled to work with equipment which is fully adapted to the specific risks of your job.



Why choose **Oxypas**?

Our shoes are equipped with all technical features which are important for nursing staff. Below, you will find more information on the main specifications. Further on in the catalog, you will find the valid specifications per model.

CE STANDARD

CE Standard

The **CE certification** guaranties that the shoes are in accordance with the valid European standards for work or safety shoes:

- **EN 20347**: work shoes without reinforced toe.
- **EN 20346**: safety shoes with reinforced toe, resistant to an impact of up to 100 joules.
- **EN 20345**: safety shoes with reinforced toe, resistant to an impact of up to 200 joules.

ANTI-STATIC ESD

Anti-static ESD

By friction of clothes a person becomes charged with **static electricity**. Without a constant discharge, you can easily load up to 3,000 volts without even noticing!

This charge can be unintentionally passed through by touching electronic equipment. 100 volts can already suffice to damage a sensitive (but maybe vital) equipment.

Always wear **ESD (Electro Static Discharge)** shoes to prevent static electricity from building up.

SHOCK ABSORBING

ULTRA-LIGHT

Shock absorbing & ultra-light

All day long, you are on your feet. The materials Oxypas uses for the soles and insoles **absorb shocks** and therefor offer **more comfort**.

Moreover, we strive to make our shoes **as light as possible** to make your daily kilometers as enjoyable as possible.

Not all features apply to all models. Please check the product information per model.

SLIP RESISTANT SRA

SLIP RESISTANT SRC (SRA+SRB)

OXYGRIP SLIP RESISTANT SRC

Slip resistant outsoles

The level of grip of an slip resistant sole is determined by a test measuring the friction coefficient between the sole and the surface. This is tested on the flat outsole and heel.

- If the sole has a good grip on a wet, stone floor (Ceramic surface with a mix of soap and water), it obtains the **SRA standard**.
- If the sole has good grip on a dirty, metal floor (Steel surface with glycerol), it gets the **SRB standard**.
- If the sole passes the SRA and SRB tests, it gets the **SRC standard**.

Discover our latest outsole with **Oxygrip®-technology** on page 6. The test results show that Oxygrip® scores far above the required values at both of the tests. Safety guaranteed.

REMOVABLE INSOLE

Removable insole

Most Oxypas models feature a **removable insole**. Renew your insole at a regular base (p.37) or use your own orthopedic insoles.

CLEAN WITH A DAMP CLOTH

Maintenance

Do your shoes often get dirty? Choose a model in leather or synthetic leather as they can **easily and quickly** be cleaned with a damp cloth and soap.

COOLMAX® BRAND

Coolmax®-lining

Coolmax® is a technical material which effectively drains perspiration. In contrast to a normal cotton or synthetic fiber, the Coolmax®- fiber consists out of 4 very thin round tubes. Small canals between the tubes transport the perspiration to the outside. As a result, the transpiration spreads quicker and evaporates 4 times faster than using cotton.

GLOBAL presence
WORLDWIDE delivery

High-end
DEVELOPMENT CENTER

ULTRA-MODERN
warehouses

USA

Belgium

China

Fashion

COLLECTION

Our latest models don't make you choose between **style and comfort**.

Fashion collection

The Oxyfashion collection has everything you expect Oxypas to offer, but with an **additional fresh look**. Ideal to wear at work, at home or wherever you choose.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.
- **Removable insole**: regularly renew your insole (p.37) or use your own orthopedic insoles.

CE STANDARD EN 20347 · SLIP RESISTANT SRC (SRA+SRB) · ANTI-STATIC ESD · SHOCK ABSORBING · REMOVABLE INSOLE · CLEAN WITH A DAMP CLOTH · leather · COOLMAX® BRAND

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

New

Clark

FOR HIM

Size range: EU 40 - 47
UK 6.5 - 12
US 7.5 - 13
CM 25.5 - 32

WBL

BLK

New

Paola

FOR HER

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FUX

WBL

BLK

Low leather sneaker for him

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 390 gr per shoe

Low leather sneaker for her

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 330 gr per shoe

oxypas

Fashion collection

- **Upper in high-tech breathable 3D mesh and elastic nylon**: maximum flexibility and ultimate comfort guaranteed.
- **Lovely soft lining** in nylon.

Ultra-light & shock absorbing

The EVA midsole is ultra-light and flexible, providing excellent shock absorption.

Slip resistant SRC

The rubber outsole with **Oxygrip**®-technology ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Memory foam insole

The new removable **memory foam** insole provides additional comfort while walking and can be replaced with your own orthopedic insoles.

New

Luca

FOR HIM

Size range: EU 39 - 47
UK 5.5 - 12
US 6.5 - 13
CM 25 - 32

NAV

LGR

New

Karla

FOR HER

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FUX

LBL

LGR

Light, breathable sneaker for him

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	3D mesh and nylon
Lining	Nylon + foam
Insole	Removable, memory foam
Weight	ca. 290 gr per shoe

Light, breathable sneaker for her

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	3D mesh and nylon
Lining	Nylon + foam
Insole	Removable, memory foam
Weight	ca. 240 gr per shoe

OXYGRIP®

The new ultimate **slip resistant SRC outsole**

Slip resistant SRC
(SRA +SRB) standard

Anti-static ESD
standard

Shock absorbing

Tested article: Luca

OXYGRIP
SLIP RESISTANT
SRC

Move outsole

The Move collection has an **extremely light slip resistant outsole** with a **heel height of 3 cm** which adds an elegant touch.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.
- **Removable insole**: regularly renew your insole (p.37) or use your own orthopedic insoles.

CE STANDARD EN 20347 · SLIP RESISTANT SRC (SRA+SRB) · ANTI-STATIC ESD · SHOCK ABSORBING · REMOVABLE INSOLE · CLEAN WITH A DAMP CLOTH · ULTRA-LIGHT · leather · COOLMAX® BRAND



Ultra-light & shock absorbing

The EVA midsole is ultra-light and flexible, providing excellent shock absorption.

ULTRA-LIGHT · SHOCK ABSORBING

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Eva

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

WHT

BLK

New

Olga

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LBL

WHT · LGN · FUX · LIC

Sporty look, great comfort

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 270 gr per shoe

Comfortable leather sandal

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Not removable
Weight	ca. 230 gr per shoe

Lilia

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FLR

WHT

LBL

LGN

FUX

LIC

Doria

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

MUG

WHT

LBL

LGN

FUX

LIC

FLR

BLK

Carin

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LGN

WHT

LBL

FUX

LIC

Elegant and casual

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 250 gr per shoe

Trendy clog with a playful touch

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 220 gr per shoe

Practical design, adjustable to every foot

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Move outsole

Ivy

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

WHT

FUX

LIC

Nelie

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LBL

WHT

LGN

FUX

LIC

BLK

Anais

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

Flexible upper in lycra

LIC

WHT

LBL

LGN

FUX

BLK

Specially designed for foot conditions such as **hallux valgus** (deformity of the big toe), **quintus varus** (deformation of the little toe) and '**hammer toes**'.

The flexible finish in lycra fits around any foot shape, so you can enjoy maximum comfort. This shoe has adjustable velcro straps at the back and top of the shoe. Interchangeable insole.

Sporty look, great comfort

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Flat ballets with refined comfort

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Sandal in stretchable lycra

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Lycra
Lining	Coolmax®
Insole	Removable
Weight	ca. 210 gr per shoe

oxypas
oxypas

Lightweight

COLLECTION

MOVE MOVE UP MEDILOGIC MOTION

Ultra-light shoe with certified **slip resistant outsole**.

Move Up outsole

The Move Up collection has an **extremely light slip resistant outsole** with a **heel height of 4 cm** which adds an elegant touch.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.
- **Removable insole**: regularly renew your insole (p.37) or use your own orthopedic insoles.



CE STANDARD EN 20347 · SLIP RESISTANT SRC (SRA+SRB) · ANTI-STATIC ESD · SHOCK ABSORBING · REMOVABLE INSOLE · CLEAN WITH A DAMP CLOTH · ULTRA-LIGHT · leather · COOLMAX® BRAND

Ultra-light & shock absorbing

The EVA midsole is ultra-light and flexible, providing excellent shock absorption.

ULTRA-LIGHT · SHOCK ABSORBING

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Lucia

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FLR

WHT · LBL · LGN · FUX

LIC · BLK

Salma

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

WHT

LBL · LGN · FUX · LIC

BLK

Closed shoe with an elegant touch

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Shoe with adjustable velcro straps

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Sandy

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LBL

WHT LGN FUX LIC

Fashionable clog with adjustable velcro strap

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Oxyfoam

Memory foam insole

- Maximum cushioning
- Reduces muscle, foot, knee and back pain
- ESD standard ensures the dissipation of electrostatic charges
- Coolmax®
- 3 sizes in 1: adjustable to every foot
- Size range: 36/37/38 and 39/40/41

This insole fits all shoes with removable insoles in this catalog.

REMOVABLE INSOLE

Medilogic outsole

The Medilogic collection has an **extremely light slip resistant outsole** with a **heel height of 3 cm** which adds an elegant touch.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.
- **Removable insole**: regularly renew your insole (p.37) or use your own orthopedic insoles.

heel height
3 cm

Ultra-light & shock absorbing

The EVA midsole is ultra-light and flexible, providing excellent shock absorption.

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Emily

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

WHT

LBL LGN FUX LIC

BLK

Suzy

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FLR

WHT LBL LGN FUX

LIC BLK

Sporty design with adjustable velcro strap

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 250 gr per shoe

Sober look, pure comfort

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Medilogic outsole

Candy

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LGN

WHT

LBL

FUX

LIC

BLK

Melissa

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LIC

WHT

LBL

LGN

FUX

Iris

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LBL

WHT

LGN

FUX

LIC

BLK

Ultra-comfortable shoe in lycra

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Lycra
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr per shoe

Light and airy, with adjustable velcro strap

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Synthetic leather + lycra
Lining	Coolmax®
Insole	Removable
Weight	ca. 230 gr per shoe

Comfort clog with adjustable velcro strap

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 230 gr per shoe

Motion outsole

The Motion collection has an **extremely light slip resistant outsole**.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.
- **Removable insole**: regularly renew your insole (p.37) or use your own orthopedic insoles.

CE STANDARD EN 20347 · SLIP RESISTANT SRC (SRA+SRB) · ANTI-STATIC ESD · SHOCK ABSORBING · REMOVABLE INSOLE · CLEAN WITH A DAMP CLOTH · ULTRA-LIGHT · leather · COOLMAX® BRAND

for HIM

Evan

Size range: EU 39 - 46
UK 5.5 - 11
US 6.5 - 12
CM 25 - 30

WHT

BLK

Roy

Size range: EU 39 - 46
UK 5.5 - 11
US 6.5 - 12
CM 25 - 30

NAV

WHT

Ultra-light & shock absorbing

The EVA midsole is ultra-light and flexible, providing excellent shock absorption.

ULTRA-LIGHT · SHOCK ABSORBING

SLIP RESISTANT SRC (SRA+SRB)

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

ANTI-STATIC ESD

Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Trendy and comfortable

Standard	CE standard EN ISO 20347 O1 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 320 gr per shoe

Comfortable loafer

Standard	CE standard EN ISO 20347 O1 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 280 gr per shoe

Remy

Size range: EU 39 - 46
UK 5.5 - 11
US 6.5 - 12
CM 25 - 30

WHT

NAV

BLK

Clog with adjustable strap

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 260 gr per shoe

Oxysport

COLLECTION

AIR COMFORT SPORT

3 sporty lines, each equipped with a certified **slip resistant outsole**.

Oxysport AIR

The *Air*-line of the Oxysport collection has an **extremely light slip resistant outsole**, including a **shock absorbing air-unit**.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.



Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Shock absorbing

The air-unit offers maximum comfort.

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Memory foam insole

The new removable insole in **memory foam** provides additional comfort while walking and can be replaced with your own orthopedic insoles.

Justin

FOR HIM

Size range: EU 39 - 47
UK 5.5 - 12
US 6.5 - 13
CM 25 - 32

NAV

LGR

Ela

FOR HER

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LIC

LBL

FUX

LGR

Sporty and trendy

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable, memory foam
Weight	ca. 450 gr per shoe

Sporty and trendy

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	Leather
Lining	Coolmax®
Insole	Removable, memory foam
Weight	ca. 354 gr per shoe

Oxysport COMFORT

The *Comfort*-line of the Oxysport collection has an **extremely light slip resistant outsole**, including an **extra wide fit** for additional comfort.

- **Upper in breathable 3D mesh**, for extra flexibility.
- **The heel and sole are lined in Coolmax®**. This technical material keeps your feet cool and draws perspiration away from the skin.
- **Soft lining**: the front part of the shoe features a soft mousse for ultimate comfort, even for people with sensitive feet.
- **Easy**: a convenient closure allows you to quickly and easily put your shoes on and take them off.
- **Removable insole**: regularly renew your insole (p.37) or use your own orthopedic insoles.





Ultra-light & shock absorbing

The EVA midsole is ultra-light and flexible, providing excellent shock absorption.

Slip resistant SRA

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRA non-slip standard.

Extra wide

The shoe is wider than an average shoe so that the foot will experience more freedom. This shoe is also suitable for people with sensitive feet.

James

FOR HIM

Size range: EU 39 - 47
UK 5.5 - 12
US 6.5 - 13
CM 25 - 32

NAV

LGR BLK

Maud

FOR HER

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FUX

WHT LGR NAV BLK

Sporty and ultra-light

Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	Yes, SRA
Anti-static	No
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 310 gr per shoe

Sporty and ultra-light

Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	Yes, SRA
Anti-static	No
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 230 gr per shoe

Oxysport SPORT

The *Sport*-line of the Oxysport collection is a leather sports shoe with a **slip resistant outsole**.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.

CE STANDARD EN 20347 · SLIP RESISTANT SRA · SHOCK ABSORBING · CLEAN WITH A DAMP CLOTH



Slip resistant SRA

The outsole in TPR ensures maximum grip on both wet and dry surfaces and is compliant with the SRA non-slip standard.

SLIP RESISTANT SRA

Henny

FOR HIM

Size range: EU 40 - 46
UK 6.5 - 11
US 7.5 - 12
CM 25.5 - 30

WHT/NAV

LGR

Sunny

FOR HER

Size range: EU 36 - 42*
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

LBL

FUX

LIC

LGR

New

Oxysocks

The ideal socks for your Oxypas-shoes: strong, comfortable and short.

All info on page 37

Sporty and fashionable

Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	Yes, SRA
Anti-static	No
Material	Leather
Lining	Mesh nylon
Insole	Not removable
Weight	ca. 400 gr per shoe

Sporty and stylish

Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	Yes, SRA
Anti-static	No
Material	Leather
Lining	Mesh nylon
Insole	Not removable
Weight	ca. 330 gr per shoe

(*) The colors LBL and LGR are available from size 35 till 42.

Chemically and UV sterilisable

Machine washable
The shoes can be safely washed in the washing machine at the indicated temperature.

Autoclavable
The ***Oxyclog*** model can be sterilised in the autoclave.

Ultra-light
Extremely light and flexible.

Shock absorbing
The light materials provide excellent cushioning.

Waterproof
All clogs are made out of waterproof material.

CE standard
CE EN 20347-certified.
High quality materials, free from toxic substances.

Slip resistant
The pattern of the outsole ensures maximum grip on both wet and dry surfaces and is compliant with the non-slip standard.

Anti-static ESD
The shoe features an anti-static insert that facilitates the dissipation of static electricity and that complies with the ESD anti-static standard (Electrostatic Discharge).

Clogs

COLLECTION

OXYCLOG OXYVA SONIC SMOOTH BESTLIGHT

Flexible, ultra-light & **comfortable**

Clogs OXYCLOG

The *Oxyclog* was designed specifically for the operating room. This model can be sterilized at high temperatures in an autoclave.

- **Sterilisable in an autoclave at 135°C**
- **Washable at 90°C**
- **Chemically and UV sterilisable**

CE STANDARD EN 20347 · SLIP RESISTANT SRA · ANTI-STATIC ESD · SHOCK ABSORBING · AUTOCLAVABLE 135°C · CHEMICAL & UV STERILIZABLE · WASHABLE 90°

Resistant against high temperatures

The shoe is made of TPE (Thermo Plastic Elastomer). As a result, the shoe will retain its flexibility and can be sterilized at high temperatures without deformation.

THERMOPLASTIC ELASTOMER · AUTOCLAVABLE 135°C · CHEMICAL & UV STERILIZABLE

Anti-static ESD

ANTI-STATIC ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

Slip resistant SRA

SLIP RESISTANT SRA

The outsole profile ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Oxyclog

autoclavable

Size range: EU 35/36 - 45/46
UK 2.5/3.5 - 10.5/11
US 3/4 - 11.5/12
CM 22.5 - 30

BLU

WHT · LBL · EBL · LGN

EGN · RED · FUX · LIC

Oxyva

closed heel part clog

Size range: EU 35/36 - 45/46*
UK 2.5/3.5 - 10.5/11
US 3/4 - 11.5/12
CM 22.5 - 30

EGN

WHT · EBL · BLU · FUX

LIC · BLK

The clog that meets all your needs

Standard	CE standard EN ISO 20347 OB SRA ESD
Slip resistant	Yes, SRA
Anti-static	Yes, ESD
Material	TPE
Maintenance	Autoclavable at 135°C Washable at 90°C Chemically and UV sterilisable
Weight	ca. 240 gr per shoe

Unmatched comfort

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	EVA
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Weight	ca. 200 gr per shoe

(*) The color FUX is only available till size 41/42.

Sonic

ultra-light

Size range: EU 35/36 - 45/46*
UK 2.5/3.5 - 10.5/11
US 3/4 - 11.5/12
CM 22.5 - 30

FUX

WHT

EBL

BLU

EGN

LIC

BLK

Smooth

waterproof

Size range: EU 36 - 46*
UK 3.5 - 11
US 4 - 12
CM 22.5 - 30

LIC

WHT

EBL

NAV

EGN

FUX

BLK

Bestlight

Size range: EU 36 - 46
UK 3.5 - 11
US 6 - 12
CM 22.5 - 30

WHT

BLK

Extremely light hospital clog

Standard	CE standard EN ISO 20347 OB SRA ESD
Slip resistant	Yes, SRA
Anti-static	Yes, ESD
Material	EVA
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr per shoe

(*) The color FUX is only available till size 41/42.

Closed model with great comfort

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	EVA with outsole in rubber
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Weight	ca. 240 gr per shoe

(*) The colors LIC and FUX are only available till size 42.

Ultra-light clog with slip resistant outsole

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	Yes, SRC
Anti-static	No
Material	EVA with rubber outsole
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr per shoe

Safety

COLLECTION

Safety clog with **toecap**.

Oxysafe

Slip resistant SRC

The outsole profile ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).

Chemically and UV sterilisable

The shoe is chemically and UV sterilisable.

Ultra-light

A shoe weighs on average 280 grams, making it one of the lightest safety shoes on the market.

Washable at 30°C

Reinforced safety toecap

The shoe features a reinforced safety toecap made of ultra-light composite and protects against an impact of 100 Joules.



Anti-static ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

CE standard

CE EN 20346-certified.

One **pair of insoles** included, offering **extra comfort**.

New

Oxysafe

Size range: EU 35/36 - 45/46
UK 2.5/3.5 - 10.5/11
US 3/4 - 11.5/12
CM 22.5 - 30

WHT

NAV

BLK

The lightest safety shoe on the market

Standard	CE standard EN ISO 20346 PB SRC ESD
Slip resistant	Yes, SRC
Anti-static	Yes, ESD
Material	EVA
Safety toecap	Composite
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Weight	ca. 280 gr per shoe

Bio Oxy

COLLECTION

Anatomically shaped
bio clogs with a certified
slip resistant outsole.

Bio Oxy collection

The Bio Oxy collection has an **anatomically shaped foot bed**. The cork outsole with rubber offers maximum **slip resistance**.

- **Leather upper**, can easily be cleaned with a damp cloth and some soap.
- **Coolmax®-lining**, keeps your feet cool and draws perspiration away from the skin.

Jeff

Size range: EU 39 - 46
UK 5.5 - 11
US 6.5 - 12
CM 25 - 30

FOR HIM

BLK

WHT

Bianca

Size range: EU 36 - 42
UK 3.5 - 8
US 6 - 10.5
CM 22.5 - 27

FOR HER

MUG

WHT

BLK

Slip resistant SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).



Anatomically shaped foot bed

The toe grip at the front of the shoe provides guidance and support.

The anatomically shaped footbed with pattern ensures the correct pressure and provides extra support when walking.

Casual and comfortable

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	Yes, SRC
Anti-static	No
Material	Synthetic leather
Lining	Coolmax®
Insole	Anatomically shaped foot bed
Weight	ca. 360 gr per shoe

Fashionable and comfortable

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	Yes, SRC
Anti-static	No
Material	Synthetic leather
Lining	Coolmax®
Insole	Anatomically shaped foot bed
Weight	ca. 290 gr per shoe

Accessories

Oxywatch

Shock absorbing watch

This watch in a silicone brooch is water resistant and compliant with the ROHS standard. The clock in the brooch can be turned up or down in the direction you prefer. An indispensable item to take your patient's pulse and to organize your busy day.

LBL FUX LIC

New

Oxysocks

Size range: 35/37 - 38/40 - 41/42

The Oxysock is the best choice to wear in your Oxypas shoes: durable, comfortable and short. These ankle socks are primarily made of cotton and can be washed at 40°C. The elastane ensures a great fit. With logo detail.

Oxyfoam

Size range: 36/37/38 and 39/40/41

Regularly renew the insole of your shoe for a better walking comfort. This sole is suitable for all models indicated by 'removable insole'.

Comfortable, plain ankle socks

- 74% cotton, 16% spandex, 10% polyester
- Washable at 40 °C
- Size range: 35/37 - 38/40 - 41/42

Memory foam insole

- Maximum cushioning
- Reduces muscle, foot, knee and back pain
- ESD standard ensures the dissipation of electrostatic charges
- Coolmax®
- 3 sizes in 1: adjustable to every foot
- Sizes: 36/37/38 and 39/40/41

Size chart

WOMEN Sizes

SYSTEM		SIZES							
Metric Size (cm)		21.5	22.5	23.0	24.0	25.0	25.5	26.5	27.0
WOMEN	EU	35	36	37	38	39	40	41	42
	UK	3	3.5	4	5	5.5	6.5	7	8
	US	5.5	6	6.5	7.5	8	9	9.5	10.5

MEN Sizes

SYSTEM		SIZES											
Metric Size (cm)		21.5	22.5	23.0	24.0	25.0	25.5	26.5	27.0	28.0	28.5	29.5	30.0	32.0
MEN	EU	35	36	37	38	39	40	41	42	43	44	45	46	47
	UK	2.5	3.5	4	5	5.5	6.5	7	8	9	9.5	10.5	11	12
	US	3	4	4.5	5.5	6.5	7.5	8	9	10	10.5	11.5	12	13

UNISEX Jump sizes

SYSTEM		SIZES					
Metric Size (cm)		21.5/22.5	23.0/24.0	25.0/25.5	26.5/27.0	28.0/28.5	29.5/30.0
UNISEX	EU	35/36	37/38	39/40	41/42	43/44	45/46
	UK	2.5/3.5	4.0/5.0	5.5/6.5	7.0/8.0	9.0/9.5	10.5/11.0
	US	3.0/4.0	4.5/5.5	6.5/7.5	8.0/9.0	10.0/10.5	11.5/12.0

Professional shoes with slip resistant outsole

FOR HER | FOR HIM | FOR HER & HIM

MOVE collection
WOMEN p.14

- CE Standard EN 20347
- Leather
- Slip resistant SRC
- Anti-static ESD
- Removable insole

New OLGA

EVA

DORIA

CARIN

LILIA

ANAIS

NELIE

IVY

MOVE UP collection
WOMEN p.18

- CE Standard EN 20347
- Leather
- Slip resistant SRC
- Anti-static ESD
- Removable insole

SALMA

LUCIA

SANDY

MEDILOGIC collection
WOMEN p.20

- CE Standard EN 20347
- Synthetic leather
- Slip resistant SRC
- Anti-static ESD
- Removable insole

CANDY

IRIS

EMILY

MELISSA

SUZY

MOTION collection
MEN p.22

- CE Standard EN 20347
- Leather
- Slip resistant SRC
- Anti-static ESD
- Removable insole

EVAN

ROY

REMY

OXYFASHION collection
WOMEN & MEN p.8

- CE Standard EN 20347
- Leather
- Slip resistant SRC
- Anti-static ESD
- Removable insole

New PAOLA

New CLARK

- CE Standard EN 20347
- 3D mesh and nylon
- Slip resistant SRC
- Anti-static ESD
- Removable insole in memory foam

New KARLA

New LUCA

Discover all colors at www.safetyjogger.com

For each model you can find more information, pictures and details on our website.

Professional shoes with slip resistant outsole

FOR HER | FOR HIM | FOR HER & HIM

OXYSPORT collection
WOMEN & MEN p.25

- CE Standard EN 20347
- Leather
- Slip resistant SRC
- Anti-static ESD
- Removable insole in memory foam

ELA

JUSTIN

- CE Standard EN 20347
- 3D mesh
- Slip resistant SRA
- Extra wide fit
- Removable insole

MAUD

JAMES

- CE Standard EN 20347
- Leather
- Slip resistant SRA

SUNNY

HENNY

Professional clogs with slip resistant outsole

OXYCLOG
WOMEN & MEN p.30

- CE Standard EN 20347
- TPE
- Slip resistant SRA
- Anti-static ESD
- Autoclavable at 135°C
- Washable at 90°C
- Chemically and UV sterilisable

OXYVA
WOMEN & MEN p.30

- CE Standard EN 20347
- EVA
- Slip resistant SRC
- Anti-static ESD
- Washable at 30°C
- Chemically and UV sterilisable

SONIC
WOMEN & MEN p.31

- CE Standard EN 20347
- EVA
- Slip resistant SRA
- Anti-static ESD
- Washable at 30°C
- Chemically and UV sterilisable

SMOOTH
WOMEN & MEN p.31

- CE Standard EN 20347
- EVA + rubber
- Slip resistant SRC
- Anti-static ESD
- Washable at 30°C
- Chemically and UV sterilisable

BESTLIGHT
WOMEN & MEN p.31

- CE Standard EN 20347
- EVA + rubber
- Slip resistant SRC

Safety clog with protective toecap

WOMEN & MEN p.33

- CE Standard EN 20346
- EVA
- Slip resistant SRC
- Anti-static ESD
- Composite toecap
- Washable at 30°C
- Chemically and UV sterilisable

New

OXYSAFE

Bio clogs with slip resistant outsole

BIO OXY collection
WOMEN & MEN p.35

- CE Standard EN 20347
- Synthetic leather
- Slip resistant SRC
- Anti-static ESD

BIANCA

JEFF

Accessories

WOMEN & MEN p.37

OXYSOCK

New

OXYWATCH

OXYFOAM